

"PEROXY-KLEAN" ELECTROSTATIC FOGGING SYSTEM



Commercial Grade

- Heavy duty triplex plunger pump
- Serviceability of parts
- 50' hose for large areas
- No batteries to recharge
- Capacity, with a 3-gallon tank you get up to an hour of uninterrupted fogging
- 1300 psi creates an extra fine fog or particle size of 100 microns that allows for better coverage and faster drying time

99.9% Effective ♦ Electrostatic Charged ♦ NO Harsh Residue ♦ Safe on Electronics ♦ Easy to Use

| | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DIRECTIONS: Empty your desired amount of PEROXY-KLEAN into chemical tank attached to sprayer. | PEROXY-KLEAN 6% (HYDROGEN PEROXIDE) <small>Manufacturer cannot give warranty since we have no control over use of material.</small> | HMIS RATING: Health: 3, Flammability: 0; Reactivity: 1; Personal Protection: H |
| STORAGE AND HANDLING: Keep container out of sun and away from heat. Do not drop slide across sharp projections. Never use pressure to empty container. | TO RE-ORDER CONTACT: COLORADO/WEST EQUIPMENT, INC. 7920 EAST 88 TH AVENUE BLDG #1 HENDERSON, COLORADO 80640 (303) 288-1300 https://www.cowest.net | FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present. IF ON SKIN (or hair): Rinse skin with water/shower. IF INHALED: Remove victim to fresh air. IF SWALLOWED: Rinse mouth. DO NOT INDUCE VOMITING |
| 100% Biodegradable | NET CONTENTS 1 Gallon (3.78 Liters) | UN2014 CORROSIVE LIQUID, 8, 5.1, PG II, (HYDROGEN PEROXIDE SOLUTION) DANGER - Item # |
| Made with pride in the USA | |  |

5 GALLON PAIL \$ 112.45 per pail
(\$22.49 per gallon)

55 GALLON DRUM \$ 779.35 per drum
(\$14.17 per gallon)

275 GALLON TOTE \$ 3,575.25 per tote
(\$12.99 per gallon)



COLORADO / WEST EQUIPMENT, INC.

bus sales & service

CONTACT OUR PARTS DEPARTMENT TO ORDER

(303) 288-1300 PARTS@COWEST.NET



PASSENGER PROTECTIVE EQUIPMENT



Social Distance Seat Bands

- Blocks passenger seats from being used
- Removable for seating reconfiguration
- Made of a durable, flat-woven fabric that's anti-microbial and moisture repellent
- Available for 26"-45" wide seats, including child restraint seats (School Bus)
- Available for single and double passenger seats, and seats with removable inserts.

Passenger Guards

- Made from soft, clear vinyl
 1. Replaceable
 2. Easy to clean
 3. UV and Mildew resistant
- Flexible material does not present a laceration hazard or hard impact surface
- Includes a high visibility "DO NOT TOUCH" sticker
- Does not inhibit the use of most grab handles and the 202A Headrest
- Available on Freedman Feather Weight Mid-High, 3PT Mid-High, GO-ES, and most Foldaway seats



Grab Rail Covers

- Made from Dimensions Nanocide vinyl with embedded silver, a natural antimicrobial. Standard charcoal color.
- Easy to replace in the field
- Easy to clean (follow manufacturer's cleaning guide)
- Available on all Freedman grab rails (202A, Feather Weight AV and 3 PT)

CONTACT OUR PARTS DEPARTMENT TO ORDER

(303) 288-1300 PARTS@COWEST.NET

FREEDMAN
SEATING COMPANY

INFRARED NO CONTACT THERMOMETER

- ❖ Displays body temperature quickly and easily as passengers board a bus or enter a building
- ❖ Scans any part of the face or hand
- ❖ Temperature readings are displayed on the LED screen
- ❖ Audible voice states if the person's temperature is within range



CONTACT OUR PARTS DEPARTMENT TO ORDER

(303) 288-1300 PARTS@COWEST.NET



SAFETY VISION®
MOBILE VIDEO SURVEILLANCE SOLUTIONS